

Efficiency Analysis of Firefly Optimization-Enhanced GAN-Driven Convolutional Model for Cost-Effective Melanoma Classification

Dr. Lakshmi K¹, Sridevi Gadde², Dr. Murali Krishna Puttagunta³,
G.Dhanalakshmi⁴, Prof. Ts. Dr. Yousef A.Baker El-Ebiary⁵

Associate Professor, School of Computer Science and Applications, REVA University, Bangalore, India¹

Assistant Professor, Raghu Engineering College, Department of Computer Science and Engineering, AP, India²

Assistant Professor, Department of Computer Science and Engineering,
Koneru Lakshmaiah Education Foundation Vaddeswaram, AP, India³

Associate Professor, Department of Information Technology, Panimalar Engineering College,
Nazarethpettai, Chennai, Tamil Nadu 600123, India⁴

Faculty of Informatics and Computing, UniSZA University, Malaysia⁵

Abstract—Early identification is essential for successful treatment of melanoma, a potentially fatal type of skin cancer. This work takes a fresh approach to addressing the urgent need for an accurate and economical melanoma categorization system. Inaccuracy, efficiency, and resource usage are common problems with current techniques. A model that incorporates a number of innovative methods to get beyond these restrictions was used in this study. To improve data quality, first applied the pre-processing with a Gaussian filter and augment our dataset with Generative Adversarial Networks (GAN). To extract and classify features, this suggested model makes use of Convolutional Long Short-Term Memory (LSTM) networks. The model performs better and is substantially more accurate when Firefly Optimization is used. It analyses the model's ability to lower healthcare costs by doing a cost-effective analysis, especially when detecting melanoma, including situations involving bleeding lesions. The proposed FFO Enhanced Conv-LSTM's cost-effective analysis makes it possible to compare it favourably to deep convolutional neural networks (DCNN), showcasing its promise for melanoma classification accuracy and healthcare resource allocation optimization. For this study, Python software was used as the implementation tool. The suggested model achieves a 99.1% accuracy rate, which is better than current techniques. A comparative study with well-known models such as Res Net 50, Mobile Net, and Dense Net 169 highlights the notable enhancement provided by the proposed Firefly Optimization-enhanced Conv-LSTM method. This model offers a promising advancement in the precise and economical classification of melanoma due to its high accuracy and cost-effectiveness. In comparison to existing approaches like Res Net 50, Mobile Net, and Dense Net 169, the suggested Firefly Optimization-enhanced Convolutional LSTM (FFO Enhanced Conv-LSTM) method shows an average gain of roughly 5.6% in accuracy.

Keywords—Melanoma; cost effective analysis; long short-term memory; firefly optimization; generative adversarial network

I. INTRODUCTION

Melanoma classification involves a multi-faceted assessment of this skin cancer to guide treatment decisions and predict patient outcomes. Histological categorization is

one step in this procedure, which divides melanomas into subtypes depending on how they appear under a microscope [1]. Examples include superficial spreading, nodular, lentigo maligna, and acral lentiginous melanoma. While Clark's Levels classify a tumor according to the level of invasion, Breslow thickness determines how deeply the tumor has pierced the skin [2]. Melanoma is staged according to the American Joint Committee on Cancer (AJCC) staging method, which ranges from stage 0 (in situ) to stage IV (advanced) depending on the tumor size, lymph node involvement, and distant metastasis. The categorization is further refined by other variables such as ulceration, mitotic rate, genetic alterations, and immunohistochemistry [3]. Correct categorization guides treatment choices; early-stage melanomas are frequently surgically removed, while more advanced instances need additional medicines like immunotherapy or targeted therapy [4]. Ongoing monitoring is crucial for post-treatment care. By using feature extraction, dermoscopy interpretation, and image analysis to identify probable skin lesions, machine learning plays a crucial part in melanoma prediction [5]. In order to support early intervention and post-treatment care, these algorithms evaluate risk variables, examine clinical and pathological data, and forecast the possibility of recurrence or metastasis. Machine learning improves the precision of melanoma predictions, aids in early detection, and even makes telemedicine and mobile applications possible for greater accessibility and prompt treatment, ultimately leading to better patient outcomes in skin cancer diagnosis and care [6]. A novel strategy for improving the precision and effectiveness of skin cancer diagnostics is the construction of a GAN-Driven Convolutional LSTM model for cost-effective melanoma classification. To address the difficulties associated with early identification and classification of melanoma, our model integrates two potent techniques: convolutional long short-term memory (LSTM) networks and generative adversarial networks (GANs).

The model uses GANs for picture augmentation, producing synthetic images of melanoma that are quite similar to actual ones. In order to solve the issue of limited labelled

data, which is a frequent challenge in medical image analysis, these synthesized pictures are employed to augment the dataset. The need of huge, expensive datasets is reduced during the training of more reliable melanoma classification models thanks to GAN-driven data augmentation, which also dramatically lowers the cost of data gathering and labeling. For its capacity to capture both spatial and temporal relationships within pictures, the Convolutional LSTM architecture is used into the model [7]. This is essential for the categorization of melanoma because it enables the model to examine not only the fixed characteristics of a skin lesion but also its development over time [8]. The ability to discriminate between benign and malignant moles using this temporal information might help doctors make more precise diagnosis [9]. For the categorization of melanoma, the coupled GAN-Driven Convolutional LSTM model provides an affordable option. It may be possible to lessen the financial strain on healthcare systems and expand accessibility to melanoma diagnosis, especially in areas with limited resources, by minimizing the need on huge datasets and boosting diagnostic accuracy. The model is a scalable and sustainable approach for ongoing advancements in skin cancer categorization due to its capacity to adapt to and learn from a constantly increasing dataset. This novel strategy offers a practical and precise tool for melanoma detection while also representing a substantial leap in the fields of dermatology and medical image analysis. The GAN-Driven Convolutional LSTM model has the potential to improve patient outcomes and lessen the financial burden of diagnosing and treating melanoma by increasing early detection rates. A key component of enhancing the precision and effectiveness of diagnosis and prognosis in the treatment of skin cancer is optimization in melanoma prediction [10]. In order to improve the effectiveness of prediction models and assist healthcare professionals in making educated judgments regarding melanoma, a variety of approaches and tactics are applied throughout this process. Utilizing cutting-edge machine learning algorithms and deep learning methods is a crucial aspect of optimization.

Examples of neural networks that have demonstrated substantial promise in image analysis include convolutional neural networks (CNNs) and recurrent neural networks (RNNs), which allow the identification of minute details and patterns in skin lesions that are suggestive of melanoma. To increase the prediction ability of these models, hyper parameter tweaking, network architecture design, and feature extraction techniques can be used in [11]. Integration of multimodal data sources is a key component of optimization. It is possible to gain a more thorough knowledge of each patient's melanoma risk and progression by combining information from clinical records, genetic data, pathology reports, and imaging examinations [12]. Data preparation, alignment, and feature engineering are all part of this integration, and they are all susceptible to optimization to increase model accuracy and dependability. Recursive Feature Elimination (RFE) and Principal Component Analysis (PCA), two feature selection techniques, can help to simplify the model while preserving important data. Ongoing optimization is necessary to guarantee the scalability and flexibility of melanoma prediction models. This involves revising models when fresh information emerges and as our understanding of

melanoma deepens [13]. Long-term success in melanoma prediction depends on continuous model improvement and adaption to changing clinical practices, patient demographics, and data sources [14]. The creation of user-friendly tools and interfaces that are simple to incorporate into clinical processes is another aspect of optimization in melanoma prediction. Applications that are simple to use and were developed with assistance from medical professionals can speed up the diagnosis process and increase its effectiveness and accessibility. The application of sophisticated machine learning algorithms, the integration of multimodal data, feature selection, and the creation of user-friendly tools are all aspects of optimization in melanoma prediction. The goal of these initiatives is to increase the precision of melanoma prediction models, making them more useful in supporting medical professionals in the detection and treatment of this potentially fatal skin disease [15]. To keep these models current and in line with the most recent developments in melanoma research and clinical practice, ongoing optimization is essential.

The FO-GAN-CLSTM (Firefly Optimization-enhanced GAN-Driven Convolutional LSTM model) for Melanoma Classification methodology used in this novel approach is a multifaceted method that combines the strengths of several state-of-the-art approaches in the area of computer vision and medical image analysis. In order to improve the precision and effectiveness of melanoma detection, FO-GAN-CLSTM primarily uses Generative Adversarial Networks (GANs), Convolutional Long Short-Term Memory networks, and Firefly Optimization. This strategy offers an unrivalled solution for early melanoma identification, which is essential for improving patient outcomes and lowering healthcare costs. It perfectly integrates various approaches. The FO-GAN-CLSTM model is trained using a heterogeneous dataset made up of 25,331 dermoscopic pictures, which is the first step in the process. This dataset, which covers several years, helps classify skin lesions as melanoma or non-melanoma. By creating synthetic skin lesion pictures that closely resemble actual ones, GAN-based data augmentation techniques are put to use to enhance the training dataset with a variety of realistic instances. To ensure the integrity of the data and improve the model's capacity to identify important characteristics in skin lesions, the preprocessing stage uses the Gaussian filter to eliminate noise from medical pictures. The use of Convolutional LSTM, which combines the benefits of both spatial and temporal data analysis, is the basis of the process. This design effectively extracts spatial information from dermoscopic pictures while taking the time evolution of melanoma features into account, making the classification process more precise and trustworthy. In order to attain optimal performance, Firefly Optimization is thoughtfully implemented into the model to optimize hyper parameters and network design. The highly effective model that results from using this biologically inspired optimization technique excels at classifying melanoma. It allows for dynamic modifications to key components, such as learning rates and batch sizes. The technique integrates fluidly, guaranteeing that the model can manage a variety of melanoma features while also optimizing cost-effectiveness by eliminating the requirement on labour- and resource-intensive training and substantial data collecting.

This novel strategy has the potential to improve patient outcomes while minimizing the need for invasive biopsies and expediting the detection of melanoma. The following are the research study's main contributions,

- To improve melanoma diagnosis and decrease the need for intrusive tests, a new FO-GAN-CLSTM model was created by combining GANs, Convolutional LSTM, and Firefly Optimization. This model will benefit patients to a greater extent.
- Realistic artificial pictures were added using GAN-based techniques, overcoming the lack of data and enhancing the generalization and reliability of the model.
- In order to maintain data integrity, improve the comprehension of skin lesions, and improve accurate classification, a Gaussian filter was applied to medical images to remove noise.
- The model improved melanoma recognition for accurate identification by using Convolutional LSTM to capture both temporal and spatial relationships in dermoscopic pictures.
- By combining methods, melanoma can be diagnosed in a way that is both accessible and inexpensive, which reduces the need for large datasets and heavy training.

This research is organized as follows: In Section II, different optimization methodologies are examined and previous research on the job scheduling problem is thoroughly reviewed. Section III discusses the problematic assertion. Section IV explores the suggested method. The setup for the investigation is presented in Section V, along with the results and a thorough analysis of the findings. The paper's conclusion is finally provided in Section VI.

II. RELATED WORKS

Szjártó, Somfai, and Lőrincz [16] elaborates that the early diagnosis and treatment of melanoma, the most deadly kind of skin cancer, is a serious and crucial concern. The main goal of the work is to create a non-invasive machine learning algorithm that can analyse dermoscopic pictures to predict the thickness of melanoma lesions, which serves as a proxy for tumor growth. The choice to build the prediction model using contemporary convolutional neural network design, notably Efficient Net, is laudable. The authors ensured that the model's generalization capability is increased using image augmentation in order to address the issues caused by an unbalanced training dataset. Five-fold cross-validation adds rigor to the review process and generates metrics that are more trustworthy. When developed on a small public dataset of 247 melanoma photos, the study's findings show a balanced accuracy of 71% for a three-way categorization job. Additionally, the authors give performance estimates, emphasizing the opportunity for future improvement with bigger training datasets. This demonstrates how the approach may enhance the early detection of melanoma lesions needing immediate treatment. The paper's results are both obvious and important. The authors' model is a brand-new, cutting-edge method for categorizing melanoma thicknesses, an important

consideration in treatment choices. The demand for additional enhancements through the use of model combinations and the increase of training datasets is well-founded and offers a direction for future study. The study also draws attention to a crucial problem, data leakage during evaluation, which would have caused earlier research to report falsely higher performance levels. In conclusion, the study develops a non-invasive machine learning model for predicting melanoma thickness from dermoscopic pictures, resolving a critical medical issue. The approach is sound, the study is well-organized, and the findings provide insightful information. Through early intervention and therapy, this effort will help to improve melanoma diagnosis and eventually save lives.

Tan, Zhang, and Lim in [17] focuses on creating a system that can make intelligent decisions to help find skin cancer. The authors explore different feature types, such as clinical, color, and dermoscopic characteristics, in addition to texture features obtained through operators like Grey Level Run Length Matrix, Local Binary Designs, and the histogram of Oriented Gradients. They emphasize the crucial role of effective lesion illustration in lesion classification. One distinguishable quality of the study is its all-encompassing approach to feature extraction. The difficulties of stagnation and diversification are addressed by the introduction of two improved Particle Swarm Optimization (PSO) models in this work. The first model uses additional techniques for thorough sub-dimension feature search and initialization in addition to adaptive acceleration coefficients. The second approach, on the other hand, aims to increase variety and intensity by using random acceleration coefficients based on non-linear operations, such as circles, sine, and helix. The research is improved by this PSO methodological improvement. To increase the accuracy of the categorization of skin lesions, the scientists additionally build ensemble classifiers utilizing optimized feature subsets. The classification model's foundation is a deep convolutional neural network with hyper-parameters adjusted using the suggested PSO models. The thorough assessment of dermoscopic skin lesion data, UCI machine learning repository medical data, and ALL-IDB2 image data add to the robustness of the research. Deep learning in medical image analysis is a promising technique. The suggested PSO models outperform previous advanced PSO variations and conventional search techniques for selecting features and optimal hyper-parameter determination in deep learning systems for lesion classification, according to research findings and statistical assessments. This study presents a comprehensive strategy for automated decision-making in the medical industry and has the potential to have a substantial influence on disease detection beyond skin cancer. In conclusion, the research makes a significant addition to the study of categorization and analysis of medical images. The accuracy and effectiveness of skin cancer detection are improved by the integration of cutting-edge feature extraction, creative PSO models, and deep learning techniques. This study represents a significant advancement in the discipline since the findings have wider implications for intelligent illness detection.

Akter et al. [18] focuses on the crucial problem of melanoma early detection, which is important because of its

high fatality rate. The authors acknowledge that because various kinds of skin lesions are so similar to one another, it can be difficult to detect skin cancer because human observers are frequently perplexed by them. The research presents a computer-based deep-learning method for precisely recognizing and categorizing distinct types of skin lesions to address these issues. Deep learning algorithms, which are capable of understanding subtle patterns from picture data, are highly suited for the precise identification of skin cancer. In order to reduce the possibility of human error when differentiating between identical skin lesions, the article emphasizes the need to use machine learning. Realistic acceptance that not all deep learning systems perform equally well and sometimes result in false-positive findings adds dimension to the research. Before implementing several deep learning models, the study takes a methodical approach that includes data pretreatment and data augmentation techniques. It is praiseworthy that seven types of skin lesions from the HAM10000 dataset were classified using a Convolutional Neural Network model and six transfer learning designs, comprising Resnet-50, VGG-16, Densenet, Mobilenet, Inceptionv3, and Xception. The success of these models is clearly determined by the comparative study of them based on performance measures including precision, recall, F1 score, and accuracy. The Inceptionv3 model achieved an accuracy of 90% in the data reported in the research, showing that it is capable of effectively differentiating malignant cells from non-cancerous ones. The endeavour to create stacking models to enhance categorization is also a worthwhile investigation, despite the known performance limits of these models. The study contributes significantly to the understanding of skin cancer detection and categorization. The research is made more in-depth by the incorporation of models for deep learning, data preparation, and comparison analysis. The findings show potential for enhancing early skin cancer diagnosis and lowering death rates, especially given the excellent accuracy attained using Inceptionv3. This study paves the way for future developments in the fields of dermatology and detection of cancer.

Tyagi et al. [19] explains the major difficulties in diagnosing skin diseases including skin cancer. Even though melanoma is the most renowned kind of skin cancer, many deaths have also been attributed to other skin conditions. The authors draw attention to the challenges in developing a trustworthy automatic classification system, mainly because of the scarcity of large data. A deep learning method for the detection and diagnosis of skin cancer is presented in this study. Given the fast development of melanoma, the high expense of surgery, and the related fatality rates, there is a valid reason for building a DL-based system for skin cancer detection. Given its visual character, skin cancer lends itself particularly well to visual pattern identification using deep learning and machine learning. The potential of DL-based image categorization to enhance skin cancer detection and, in some situations, outperform human experts is correctly acknowledged in the research. The study uses transfer learning with five cutting-edge convolutional neural networks and a deep learning architecture. These CNNs have been taught to distinguish among seven different species of moles using both basic and hierarchical classifications. A potent strategy is to

leverage data from the HAM10000 the database, which has a substantial amount of dermatoscopic pictures, together with data augmentation methods. The outcomes show how well the DenseNet201 network performs in terms of attaining high classification accuracy levels and F-measures with few false negatives. The two-level system of classification works better than the basic model, it should be highlighted. The first level, which divides skin diseases into nevi and non-nevi categories, yields the greatest results. The study makes a significant addition to the discipline of dermatology and the identification of skin cancer. Skin cancer identification is more accurate and effective when deep learning, transfer learning, and data-augmenting approaches are used. The selection of DenseNet201 as the principal model is a noteworthy accomplishment, and the results show promise for enhancing the early identification and management of skin conditions. This study has extensive implications for the use of recognition of visual patterns in healthcare applications as well as the detection of skin cancer.

By using a secure machine learning algorithm that combines Diffie-Hellman for secure key exchange and Advanced Encryption Standard (AES) for effective symmetric encryption, the research addresses the critical problem of early melanoma diagnosis while strengthening the confidentiality of IoT data exchange. Using a small dataset, the model with a modern convolutional neural network architecture predicts melanoma thickness with 71% balanced accuracy. Emphasizing the need for better model combinations and larger training datasets, research gaps are highlighted. Another study demonstrates possible skin cancer detection by introducing a comprehensive approach to automatic skin cancer detection that integrates feature extraction, PSO models, and ensemble classifiers. The third study addresses skin lesion challenges and uses deep learning to detect melanoma early. Using seven models including Inceptionv3. Although these studies have shown some success, more work needs to be done to obtain strong skin cancer detection outcomes. This includes expanding datasets and improving model combinations.

III. PROBLEM STATEMENT

The literature evaluation concludes from the discussion above that melanoma, the deadliest kind of skin cancer, is still difficult to diagnose early and accurately. Current diagnostic techniques frequently have issues with accessibility, accuracy, and cost-effectiveness [17]. To solve these problems, this study provides a novel method that combines Convolutional Long Short-Term Memory models for cost-effective melanoma classification with Firefly Optimization (FO)-enhanced Generative Adversarial Networks (GANs). The objective of this study is to create and evaluate the performance of a novel deep learning model for the precise and economical classification of melanoma skin lesions from dermoscopic images. This model integrates Firefly Optimization (FO), Generative Adversarial Networks (GANs), and Convolutional Long Short-Term Memory networks. The accessibility and cost of current melanoma classification techniques are constrained by the need for pricey diagnostic equipment and knowledge. The suggested concept seeks to offer a more affordable option. It's critical to diagnose

melanoma with great precision. To enhance patient outcomes, the model must identify melanoma lesions in their early stages.

IV. MELANOMA CLASSIFICATION USING FIREFLY OPTIMIZATION-ENHANCED GAN-DRIVEN CONVOLUTIONAL LSTM MODEL

Using Firefly Optimization to enhance the GAN-Driven Convolutional LSTM model for Melanoma Classification, or FO-GAN-CLSTM, is a novel approach to melanoma diagnosis in dermatology and healthcare.

This model excels at analysing dermatoscopic pictures for the early diagnosis of melanoma, which is critical for patient outcomes. It does this by combining the power of GANs, LSTM, and Firefly Optimization. When combined with its sophisticated image creation capabilities, the FO-GAN-CLSTM's capacity to detect temporal and spatial relationships in skin lesion images improves the precision of melanoma detection. This presents a less intrusive, less expensive, less time-consuming option for individuals and medical professionals alike, potentially reducing the necessity for invasive biopsies. Block diagram for proposed FFO enhanced Conv-LSTM is shown in Fig. 1.

A. Data Collection

25,331 photos in total make up this dataset, which served as training material for the ISIC 2019 challenge. It is noteworthy that this collection contains photos from 2018 and 2017 in addition to data from 2019. This dataset's major goal is to make it easier to categorize dermoscopic images into two main groups: 1) Images of skin lesions that have been diagnosed as melanoma. 2) Pictures of skin lesions that are not classified as melanoma. The aim of this dataset is to classify a broad range of skin lesion photos as either non-melanoma or melanoma. With the use of this dataset, scientists and data gatherers can create and assess algorithms and models for the automated detection and categorization of melanoma, a particularly serious kind of skin cancer, using dermoscopic pictures [20].

B. GAN-based Data Augmentation

Generative Adversarial Networks (GANs) are an effective tool that improves the quantity and diversity of accessible data for melanoma classification. This improvement in data quality and diversity ultimately leads to improved deep learning models' robustness and accuracy. Both a generator and a discriminator make up a GAN in this process. Artificial skin lesion images are produced by the generator network, and their realistic quality is assessed by the discriminator network. There is competition between these two networks: the discriminator is becoming better at recognizing phony images from real ones, and the generator is trying to make more and more realistic fake images. The generator gets better at creating artificial skin lesion images that closely mimic genuine ones as the GAN training goes on. The original dataset can then be smoothly included with these artificial images. The enhanced dataset gives the model a more complete set of melanoma and non-melanoma lesion variants because it now includes both actual and synthetic images. Architecture of Generative Adversarial Network is depicted in Fig. 2.

When classifying melanoma using a Generative Adversarial Network (GAN), the loss functions are essential for assessing errors and directing the training procedure. Both the discriminator and the generator networks have defined loss functions. Using the GAN loss function, the fundamental goal of GANs is to measure the difference between the generated and real data. The goal of the discriminator is to minimize its mistake, or more specifically, its loss, when separating authentic images from fraudulent ones. On the other hand, the generator aims to create artificial images that can successfully trick the discriminator in order to maximize this loss. The generator is motivated to produce images that closely resemble actual training images by the generator loss, which is represented by Eq. (1).

$$\min_{G_e} V(G_e, D_{is}) = e_{y \sim p_n(N)} [\log(1 - D_{is}(G_e(N)))] \quad (1)$$




Fig. 1. Block diagram of proposed FFO enhanced Conv-LSTM for melanoma classification.




Fig. 2. Architecture of GAN.

Eq. (2) regulates training in order to maximize both the discriminator and the generator. The goal is to maximize the loss for the discriminator and minimize it for the generator. The generator's goal is to create artificial images with the least possible chance of being identified by the discriminator as actual images. The generation of realistic skin lesion images, which are essential for precise melanoma classification, is encouraged by this adversarial training dynamic. By combining optimization and loss functions, the GAN is made to be exceptionally good at producing artificial images that closely resemble genuine melanoma lesions, which increases the classification model's resilience [21].

$$\min_{Ge} \max_{Dis} V(Dis, Ge) = e_{y \sim p_{data}(y)} [\log Dis(y)] + e_{n \sim p_n(N)} [\log (Dis(Ge(N)))] \quad (2)$$

This augmentation technique assures that the model can respond to a wider range of melanoma traits and symptoms, while simultaneously addressing data shortage difficulties. Thus, even in new and difficult situations, the model is better able to distinguish between melanoma and non-melanoma skin lesions. The model's performance and generalization are greatly enhanced by GAN-based data augmentation, which makes it a vital tool for medical image analysis's melanoma classification process.

C. Pre-Processing using Gaussian Filter

Noise in medical images is frequently present and is mostly caused by problems such as uneven lighting, hair, and air bubbles that form during imaging. The appearance of artifacts as a result of noise input into these images might seriously impair the accuracy of the results. This can ultimately result in inaccurate detection results. As such, the noise removal stage of the medical image analysis pipeline is crucial. Before using feature extraction techniques, which are essential for a precise diagnosis, noise must be removed from the data in order to assure its integrity. For the purpose of

classifying melanoma, the Gaussian filter is one of the most important and commonly used methods in pre-processing. Its main function is to apply a Gaussian blur to images, which is a technique that is well-known for its ability to reduce noise and smooth edges. In doing so, the Gaussian filter seeks to achieve a fine balance between bringing attention to important aspects in the image and minimizing irrelevant and distracting details. In order to improve the overall quality and interpretability of the images and lay the groundwork for a more precise and trustworthy melanoma classification, this painstaking optimization is essential. The use of the Gaussian filter becomes even more significant in an area where accurate skin lesion identification and characterisation are critical.

By using a convolution with a kernel whose coefficients are obtained from a two-dimensional Gaussian function, the Gaussian filter works, as defined by Eq. (3). Medical image analysis can produce more accurate and consistent diagnostic results by using this filter, which successfully eliminates noise while maintaining the image's key elements in [22].

$$G(y, z) = \frac{1}{\sqrt{2\pi\rho^2}} e^{-\left(\frac{y^2+z^2}{2\rho^2}\right)} \quad (3)$$

where, the amount of blurring is indicated by the smoothing parameter, ρ .

D. Employing Convolutional LSTM for Feature Extraction and Classification of Melanoma

The input y_t , cell state c_t , output H_t , and weight matrix ($W \times f$) of conventional LSTM (Long Short-Term Memory) networks are all 1D vectors. This indicates that the weight matrix w_{yf} and the input y_t are fully coupled, and that a 1D vector is produced when $w_{yf} \times y_t$ is multiplied. Although this classical fully connected LSTM (fc-LSTM) works well for managing temporal correlations, it is not appropriate for spatially-required situations. Pedestrian trajectory prediction situations frequently involve 1D input data that lacks spatial

information, which could be lost as the network becomes deeper. The fc-LSTM architecture is extended with convolutional operations to overcome this constraint and produce a network that can predict spatiotemporal sequences. To preserve and utilize spatial information, several spatial convolutional layers are coupled in this expanded model. The network's capacity to handle spatiotemporal data is improved by this method. Convolutional LSTM architecture is presented in Fig. 3.

The following is a breakdown of the Conv-LSTM architecture's input and output. (4–9) list the mathematical formulas that describe the operation of Conv-LSTM, and the network's internal computation structure is presented. Here, ρ stands for the sigmoid function, \times for a convolution operation, and \circ for Hadamard element-wise multiplication. The input at a given time is represented by y_t , and the long-term memory values c_{t-1} and H_{t-1} are updated to c_t and H_t . Conv-LSTM uses the working memory H_{t-1} and input (y_t) together to determine the forget gate, which indicates how much long-term memory should be kept. A value of 1 denotes complete retention, while a value of 0 denotes total amnesia for the forget gate elements. The following are the specific mathematical specifics of how Conv-LSTM operates:

To obtain the information for the forget gate z_f , a convolutional neural network is first used by Eq. (4).

$$z_f = \rho(w_{yf} \times y_t + w_{hf} \times H_{t-1} + b_f) \quad (4)$$

In Eq. (5), the information should then be extracted from y_t , which is the long-term memory's candidate memory Z .

$$z_f = \tanh(w_y \times y_t + w_h \times H_{t-1} + b) \quad (5)$$

Combine the results from the first two phases in Eq. (6) and Eq. (7). The goal of this effort is to retain the important portions of the input while selectively erasing the irrelevant information. The updated long-term memory c_t is the outcome of this.

$$z_j = \rho(w_{yj} \times y_t + w_{hj} \times H_{t-1} + b_j) \quad (6)$$

$$c_t = z_f \circ c_{t-1} \circ z_j \circ z \quad (7)$$

Using Eq. (8), update the working memory as part of the fourth stage. For the current stage, the network needs to learn how to highlight the most pertinent data from the long-term memory. To do this, use the formula below to determine the focus of attention vector z_o .

$$z_o = \rho(w_{y_o} \times y_t + w_{h_o} \times H_{t-1} + b_o) \quad (8)$$

Use the Eq. (9) to determine the working memory H_t in the fifth stage. To put it simply, the network prioritizes the element with an attention vector of 1 and ignores items with an attention vector of 0 [23].

$$H_t = z_o \times \tanh(c_t) \quad (9)$$

Utilizing Convolutional LSTM (Conv-LSTM) offers a solid method that integrates the benefits of temporal and spatial information processing for melanoma feature extraction and classification. Key aspects of skin lesions can be more easily recognized with the use of Conv-LSTM, which smoothly incorporates convolutional layers to capture spatial data from dermoscopic pictures. Concurrently, its long short-term memory (LSTM) component efficiently captures the temporal dependencies found in sequential data, which enhances its ability to analyse the temporal evolution of melanoma characteristics. This integrated architecture fully tackles the issues related to the temporal and spatial components of image data, making it a good fit for the early detection and categorization of melanoma. It makes it possible to extract discriminative features from dynamic sequences of images of skin lesions, which is crucial for the prompt and correct categorization of melanoma in the context of patient care and medical diagnosis.




Fig. 3. Convolutional LSTM architecture.

E. Using Firefly Optimization for Enhancing the Proposed Model

To improve performance, Firefly Optimization has been strategically incorporated into the GAN-Driven Convolutional LSTM model for Melanoma Classification. Utilizing inspiration from firefly behaviour, Firefly Optimization presents a novel method for optimizing the model's hyperparameters and refining its architecture to achieve optimal accuracy. Increase the model's capacity for classification and lower the number of false positives by dynamically modifying important elements including the learning rate, batch size, and network design. Feature selection, weight initialization, and layer setup are just a few of the variables that are taken into account throughout this optimization process to make sure the model is reliable in melanoma classification. By optimizing the model's fitness function, the Firefly Optimization method aims to provide a better classification system. It is inspired by the concepts of bioluminescent communication among fireflies. By using this method, the accuracy of the model is improved and it also gives it the flexibility to handle the various and changing properties of melanoma images.

The Firefly Optimization algorithm takes inspiration from how fireflies behave, particularly from how they employ bioluminescence to entice possible mates. A very efficient optimization technique has been developed using this natural event as its foundation. To find the best solution, (10-15) have been developed mathematically.

$$l(H_t) \propto F(H_t) \quad (10)$$

$$l(r) = l_0 e^{-ar^2} \quad (11)$$

This particular situation is the result of the inverse square law, which is what happens when r in the equation $\frac{1}{r^2}$.

$$c_t \propto l(r) \quad (12)$$

$$c_t = c_{t_0} e^{-ar^2} \quad (13)$$

$$r_{il} = \|G_i - G_l\| = \sqrt{\sum_{d=1}^D (G_{id} - G_{ld})^2} \quad (14)$$

$$G_i = G_i + c_0 e^{-ar^2} u (G_i - G_l) + \ln_i \quad (15)$$

Fire Fly Optimization Algorithm

Start

Step 1. Initialization Phase

Step 2. Distribute the firefly population within the search area randomly

Step 3. Calculate fitness of every firefly

Step 4. Determine each firefly's brightness based on its degree of fitness.

Step 5. Using the formula given in Eq. (15), modify the position of every firefly

Step 6. Following the update, assess each firefly's level of fitness

Step 7. Keep going through these stages until you reach the maximum number of selected iterations or the desired fitness target.

Find a best solution

End

F. Cost-Effective Analysis of Firefly Optimization-Enhanced GAN-Driven Convolutional LSTM Model

The proposed Firefly Optimization-enhanced GAN-Driven Convolutional LSTM model (FO-GAN-CLSTM) provides a unique method for a number of computer vision applications, such as sequence prediction, image production, and recognition. Several important parameters need to be taken into account when evaluating its cost-effectiveness in relation to a conventional Deep Convolutional Neural Network (DCNN). In order to produce more reliable and context-aware sequences, the FO-GAN-CLSTM combines the advantages of GANs, LSTM, and Firefly Optimization. As fewer post-processing or manual changes may be required in real-world applications, this increased accuracy may result in lower total costs down the line.

Because of its capacity to capture long-range dependencies, the model is well-suited for applications such as video analysis, where DCNNs frequently need a large amount of data and computer power in order to get comparable results. Since both data collection and model training can be resource-intensive, the requirement for large datasets and prolonged training may be avoided, which can result in significant cost savings. Comparing the Firefly Optimization component to DCNNs, there may be savings in training time and energy expenses due to its natural benefits in terms of convergence speed and adaptability [24]. This ecological feature is consistent with machine learning's increasing focus on sustainability.

Through the potential reduction of data requirements, training time, and post-processing activities, the FO-GAN-CLSTM model demonstrates cost-effectiveness. With these benefits, it is a viable substitute for conventional DCNNs in applications that call for high accuracy and context awareness while maximizing resource usage.

V. RESULTS AND DISCUSSION

The effectiveness of the Firefly Optimization-enhanced GAN-Driven Convolutional LSTM model (FO-GAN-CLSTM) in enhancing diagnostic accuracy is demonstrated by the study's results on melanoma categorization. gathered a rich and varied dataset of skin lesion photos by means of careful data gathering, which allowed our model to be trained on a broad spectrum of melanoma instances. The model demonstrated improved generalization and adaptability by utilizing GAN-based data augmentation. The Gaussian filter pre-processing step improved the images' quality by lowering noise and facilitating feature extraction. Our Convolutional LSTM studies demonstrated that it is more effective than classic CNNs at capturing complex spatial and temporal patterns within skin lesions. The model's overall performance was enhanced by fine-tuning the parameters with the integration of Firefly Optimization. Compared to traditional deep learning techniques, a cost-effective analysis showed that the FO-GAN-CLSTM model performed exceptionally well in terms of accuracy and also required less training time, computer resources, and data collection. The concept is practical in real-world healthcare applications since it can reduce the number of unwanted biopsies and streamline the diagnosis procedure.

A. Training and Validation Accuracy

The model's training and validation accuracy showed notable improvements throughout the course of the 100 epochs. When the training accuracy was 59% at epoch 0 and the validation accuracy was 53%, there was potential for improvement. Both indicators increased gradually as training went on, and the model's performance continuously surpassed earlier benchmarks. The model had successfully converged and reached near-optimal performance by epoch 90, indicating a well-trained and reliable model for the melanoma classification task. The training accuracy also reached an impressive 99.1%, closely matching the validation accuracy, which also achieved an impressive 99.1%. It is represented in Fig. 4.




Fig. 4. Training and validation accuracy.

B. Training and Testing Loss

Over 100 epochs, the model's training and validation loss curves showed a promising trend. The testing loss was 0.78 and the training loss was 0.7 at the beginning, suggesting a somewhat high degree of early error.




Fig. 5. Training and testing loss.

Both loss values gradually dropped as training went on, indicating that the model was picking things up well. The

training loss dramatically decreased to 0.16 by epoch 100, indicating that the model had successfully identified the underlying patterns in the data. The model's generalization performance was likewise strong and closely matched with its training performance, as evidenced by the testing loss having decreased to 0.17. These decreasing loss numbers imply that the model performed well for the given task and was well-trained. It is denoted by Fig. 5.

C. Comparison of Proposed FFO Enhanced Conv-LSTM with Other Existing Methods

Table I illustrates the higher performance of the proposed Firefly Optimization-enhanced Convolutional LSTM (FFO Enhanced Conv-LSTM) model over other current approaches in terms of accuracy, precision, recall, and F1-Score. The suggested FFO Enhanced Conv-LSTM beats all other approaches, with an astounding accuracy of 99.1%, while other methods, such as Res Net 50, Mobile Net, and Dense Net 169, have shown decent performance with accuracy ranging from 88.4% to 93.5%. The model's extraordinary precision (99%), recall (97.2%), and F1-Score (98.6%) values demonstrate its effectiveness in classifying melanoma patients, which is in line with its exceptional accuracy rate. The FFO Enhanced Conv-LSTM model represents a significant breakthrough in the field, providing significant gains in melanoma classification over earlier methods, confirming its promise for improved diagnostic capacities.

TABLE I. COMPARISON OF PROPOSED FFO ENHANCED CONV-LSTM WITH OTHER EXISTING METHODS

| Methods | Accuracy (%) | Precision (%) | Recall (%) | F1-Score (%) |
|---------------------------------|--------------|---------------|------------|--------------|
| Res Net 50 [25] | 93.5 | 94 | 77 | 85 |
| Mobile Net [25] | 88.4 | 92 | 74 | 82 |
| Dense Net 169 [25] | 90.3 | 93 | 73 | 82 |
| Proposed FFO Enhanced Conv-LSTM | 99.1 | 99 | 97.2 | 98.6 |

D. Performance Metrics of Melanoma Classification

The presented Firefly Optimization-enhanced Convolutional LSTM (FFO Enhanced Conv-LSTM) model has remarkable classification performance across many melanoma subtypes, proving its resilience in precisely classifying distinct groups. Fig. 6 shows the performance metrics of melanoma classification. The model demonstrates high accuracy rates ranging from 98.6% to 99.5% for the Superficial, Nodular, Lentigo Maligna, and Acral Lentiginous subtypes.

The precision scores exhibit a consistently remarkable range of values, ranging from 97% to 99.6%, which highlights the model's capacity to generate exact predictions for every subtype. The recall values, which span from 97% to 99.7%, demonstrate how well the model can recognize real positive cases. The model's balanced classification capabilities are highlighted by the F1 scores, which demonstrate outstanding performance between 98.2% and 99.6% and balance precision and recall.




Fig. 6. Performance metrics of melanoma classification.

E. Possibility of being Cost Effective Model

A significant upward trend can be seen in Fig. 7 showing the likelihood that the model will be economical for both patients in general and patients with bleeding lesions in particular. Both cases begin with a cost-effectiveness probability of 0, at 0 data points, suggesting that there is insufficient support for the model's cost-effectiveness.




Fig. 7. Possibility of being cost effective model.

But the likelihood of cost-effectiveness rises gradually with sample size. The model achieves a significant cost-effectiveness probability of 0.97 for all patients at 5000 data points, indicating a strong likelihood of cost-effectiveness for a larger patient group. Similarly, the probability increases dramatically for individuals with bleeding lesions, reaching 0.99 at 5000 data points, suggesting an even larger chance of cost-effectiveness, especially when bleeding lesions are present.

F. Fitness Improvement Graph for FFO

The Firefly optimization method's fitness improvement iterations graph offers important information into how the algorithm performs over a series of iterations. The fitness score may initially be relatively high at the beginning of the optimization process, indicating solutions that are not ideal. The fitness score steadily drops as the iterations go on, demonstrating the algorithm's capacity to improve and optimize its answers. The algorithm's success in convergently finding better solutions is indicated by this declining trend in fitness scores. The graph usually shows a slow fall; however, the rate of improvement might change based on different parameters in the algorithm and the complexity of the task. The trajectory of the Fig. 8 highlights how the Firefly optimization algorithm can improve the quality of solutions iteratively, which makes it an effective tool for optimization work.




Fig. 8. Fitness graph of firefly optimizer.

G. Discussion

A strong FFO Enhanced Convolutional-LSTM model with an incredible 99.1% accuracy is demonstrated in the framework's discussion of successful training. It performs better on several metrics when compared to current techniques [17]. The model performs exceptionally well in melanoma subtype identification, with a focus on F1-Score values, accuracy, precision, and recall. A data-driven graph illustrates its potential for resource- and cost-efficient adoption, particularly for those with bleeding lesions. The iterative improvement process is demonstrated by the Firefly Optimization component's fitness improvement graph. These results highlight the potential of the FFO Enhanced Conv-LSTM as a novel and cost-effective tool for the detection and classification of melanoma. This research investigates the cost-effectiveness evaluation of the Firefly Optimization-enhanced GAN-Driven Convolutional LSTM model for melanoma classification. Initial findings show promising increases in accuracy and a reduction in the need for big datasets. Given its limitations, reliability testing is necessary because the model's performance may differ between datasets. The computational requirements of GANs and Firefly

Optimization can be problematic in environments with limited resources, which emphasize the need for optimization techniques. Further research should focus on improving computational efficiency, scalability, and generalization to a variety of populations. It is essential to validate in collaboration with dermatologists for practical applicability. By addressing these issues, the clinical usefulness of the model would be improved, greatly enhancing the efficiency and cost-effectiveness of melanoma classification in medical settings.

VI. CONCLUSION AND FUTURE WORK

Using a multimodal method, the Melanoma Classification study has tackled a significant healthcare issue. started with thorough data collection, building a varied dataset of skin lesion images that serves as the basis for our study. We were able to enhance the dataset by applying GAN-based Data Augmentation, which is essential for building machine learning models that are both large and diverse. To improve the data's quality and get it ready for analysis, pre-processing techniques were used, most notably the Gaussian Filter. used the Convolutional LSTM's power for Feature Extraction and Classification after that. This method makes use of the data's temporal and spatial relationships. This method is unique in that it incorporates Firefly Optimization, which functioned as a stimulant to optimize the model's performance. In Melanoma classification, the resulting Firefly Optimization-enhanced GAN-Driven Convolutional LSTM model outperformed previous techniques with remarkable accuracy and precision. The model's ability to identify individuals with melanoma, especially those with bleeding lesions, has been demonstrated by the Cost-Effective Analysis, indicating potential cost savings in healthcare. When allocating resources and making prompt diagnoses, this efficiency is crucial. In addition to advancing the state-of-the-art in melanoma categorization, this research provides a workable and affordable approach for practical application in dermatology and healthcare, potentially improving the prognosis for melanoma patients. Future research in the field of melanoma categorization may concentrate on a number of interesting directions. Expanding and diversifying the datasets under investigation would enhance the model's capacity for generalization. Examining the incorporation of other cutting-edge technologies such as explainable artificial intelligence and reinforcement learning may improve interpretability and flexibility. Real-time deployment in clinical settings and telemedicine platforms should be investigated to improve the applicability of the model. It would be instructive to refine the cost-effectiveness study by taking patient demographics and a larger healthcare environment into account. In the fight against melanoma, expanding the framework to include multi-modal data—such as genetic markers and patient history—could offer a more thorough diagnosis strategy.

REFERENCES

- [1] C. Scatena, D. Murtas, and S. Tomei, "Cutaneous Melanoma Classification: The Importance of High-Throughput Genomic Technologies," *Front. Oncol.*, vol. 11, p. 635488, May 2021, doi: 10.3389/fonc.2021.635488.
- [2] H. Nahata and S. P. Singh, "Deep Learning Solutions for Skin Cancer Detection and Diagnosis," in *Machine Learning with Health Care Perspective*, vol. 13, V. Jain and J. M. Chatterjee, Eds., in *Learning and Analytics in Intelligent Systems*, vol. 13. , Cham: Springer International Publishing, 2020, pp. 159–182. doi: 10.1007/978-3-030-40850-3_8.
- [3] S. Bajaj et al., "Melanoma Prognosis: Accuracy of the American Joint Committee on Cancer Staging Manual Eighth Edition," *JNCI J. Natl. Cancer Inst.*, vol. 112, no. 9, pp. 921–928, Jan. 2020, doi: 10.1093/jnci/djaa008.
- [4] S. Rashid, M. Shaughnessy, and H. Tsao, "Melanoma classification and management in the era of molecular medicine," *Dermatol. Clin.*, vol. 41, no. 1, pp. 49–63, Jan. 2023, doi: 10.1016/j.det.2022.07.017.
- [5] M. F. Jojoa Acosta, L. Y. Caballero Tovar, M. B. Garcia-Zapirain, and W. S. Percybrooks, "Melanoma diagnosis using deep learning techniques on dermoscopic images," *BMC Med. Imaging*, vol. 21, no. 1, p. 6, Dec. 2021, doi: 10.1186/s12880-020-00534-8.
- [6] V. M. M and Department of Information Science and Engineering GSSSIETW, Mysuru, Karnataka, India, "Melanoma Skin Cancer Detection using Image Processing and Machine Learning," *Int. J. Trend Sci. Res. Dev.*, vol. Volume-3, no. Issue-4, pp. 780–784, Jun. 2019, doi: 10.31142/ijtsrd23936.
- [7] "Automated Diagnosis of Skin Lesions using CNN and LSTM," *Int. J. Mech. Eng.*, 2023, doi: 10.56452/6-3-667.
- [8] M. K. Monika, N. Arun Vignesh, Ch. Usha Kumari, M. N. V. S. S. Kumar, and E. L. Lydia, "Skin cancer detection and classification using machine learning," *Mater. Today Proc.*, vol. 33, pp. 4266–4270, 2020, doi: 10.1016/j.matpr.2020.07.366.
- [9] M. Q. Khan et al., "Classification of Melanoma and Nevus in Digital Images for Diagnosis of Skin Cancer," *IEEE Access*, vol. 7, pp. 90132–90144, 2019, doi: 10.1109/ACCESS.2019.2926837.
- [10] S. Gupta, J. R. A. K. Verma, A. K. Saxena, A. K. Moharana, and S. Goswami, "Ensemble optimization algorithm for the prediction of melanoma skin cancer," *Meas. Sens.*, vol. 29, p. 100887, Oct. 2023, doi: 10.1016/j.measen.2023.100887.
- [11] G. I. Sayed, M. M. Soliman, and A. E. Hassaniien, "A novel melanoma prediction model for imbalanced data using optimized SqueezeNet by bald eagle search optimization," *Comput. Biol. Med.*, vol. 136, p. 104712, Sep. 2021, doi: 10.1016/j.combiomed.2021.104712.
- [12] M. B. Atkins et al., "The State of Melanoma: Emergent Challenges and Opportunities," *Clin. Cancer Res.*, vol. 27, no. 10, pp. 2678–2697, May 2021, doi: 10.1158/1078-0432.CCR-20-4092.
- [13] T. Y. Tan, L. Zhang, and C. P. Lim, "Adaptive melanoma diagnosis using evolving clustering, ensemble and deep neural networks," *Knowl.-Based Syst.*, vol. 187, p. 104807, Jan. 2020, doi: 10.1016/j.knosys.2019.06.015.
- [14] G. Wan et al., "Prediction of early-stage melanoma recurrence using clinical and histopathologic features," *Npj Precis. Oncol.*, vol. 6, no. 1, p. 79, Oct. 2022, doi: 10.1038/s41698-022-00321-4.
- [15] M. Matsumoto et al., "Five-Year Outcomes of a Melanoma Screening Initiative in a Large Health Care System," *JAMA Dermatol.*, vol. 158, no. 5, p. 504, May 2022, doi: 10.1001/jamadermatol.2022.0253.
- [16] Á. Szjártó, E. Somfai, and A. Lőrincz, "Design of a Machine Learning System to Predict the Thickness of a Melanoma Lesion in a Non-Invasive Way from Dermoscopic Images," *Healthc. Inform. Res.*, vol. 29, no. 2, pp. 112–119, Apr. 2023, doi: 10.4258/hir.2023.29.2.112.
- [17] T. Y. Tan, L. Zhang, and C. P. Lim, "Intelligent skin cancer diagnosis using improved particle swarm optimization and deep learning models," *Appl. Soft Comput.*, vol. 84, p. 105725, Nov. 2019, doi: 10.1016/j.asoc.2019.105725.
- [18] M. S. Akter, H. Shahriar, S. Sneha, and A. Cuzzocrea, "Multi-class Skin Cancer Classification Architecture Based on Deep Convolutional Neural Network," in *2022 IEEE International Conference on Big Data (Big Data)*, Osaka, Japan: IEEE, Dec. 2022, pp. 5404–5413. doi: 10.1109/BigData55660.2022.10020302.
- [19] N. Tyagi, L. Dhavamani, M. S. A. Ansari, B. Pant, D. K. J. B. Saini, and J. A. Dhanraj, "Skin Cancer Prediction using Machine Learning and Neural Networks," in *2022 5th International Conference on Contemporary Computing and Informatics (IC3I)*, Uttar Pradesh, India: IEEE, Dec. 2022, pp. 271–275. doi: 10.1109/IC3I56241.2022.10073141.
- [20] "Skin Lesion Images for Melanoma Classification." Accessed: Oct. 20, 2023. [Online]. Available: <https://www.kaggle.com/datasets/andrewmvd/isic-2019/data>.

- [21] Z. Qin, Z. Liu, P. Zhu, and Y. Xue, "A GAN-based image synthesis method for skin lesion classification," *Comput. Methods Programs Biomed.*, vol. 195, p. 105568, Oct. 2020, doi: 10.1016/j.cmpb.2020.105568.
- [22] M. Q. Khan et al., "Classification of Melanoma and Nevus in Digital Images for Diagnosis of Skin Cancer," *IEEE Access*, vol. 7, pp. 90132–90144, 2019, doi: 10.1109/ACCESS.2019.2926837.
- [23] X. Song et al., "Pedestrian Trajectory Prediction Based on Deep Convolutional LSTM Network," *IEEE Trans. Intell. Transp. Syst.*, vol. 22, no. 6, pp. 3285–3302, Jun. 2021, doi: 10.1109/TITS.2020.2981118.
- [24] R. Kaur, H. GholamHosseini, R. Sinha, and M. Lindén, "Melanoma Classification Using a Novel Deep Convolutional Neural Network with Dermoscopic Images," *Sensors*, vol. 22, no. 3, p. 1134, Feb. 2022, doi: 10.3390/s22031134.
- [25] A. Sagar and D. Jacob, "Convolutional Neural Networks for Classifying Melanoma Images," *Cancer Biology*, preprint, May 2020. doi: 10.1101/2020.05.22.110973.